Refine Search

Search Results -

| Terms | Documents | |
|------------|-----------|--|
| L11 and L8 | 14 | |

| | US Pre-Grant Publication Full-Text Database US Patents Full-Text Database | |
|-----------|---|---------------|
| Databagas | US OCR Full-Text Database EPO Abstracts Database | |
| Database: | JPO Abstracts Database | |
| | Derwent World Patents Index | |
| | IBM Technical Disclosure Bulletins | |
| | | |
| Search: | | Refine Search |
| | J | |
| | Recall Text Clear | Interrunt |

Search History

DATE: Monday, July 18, 2005 Printable Copy Create Case

| <u>Set Name</u> | <u>e Query</u> | Hit Count | Set Name |
|-----------------|---|-----------|------------|
| ide by sid | e | | result set |
| DB=PC | GPB,USPT; PLUR=YES; OP=ADJ | | |
| <u>L16</u> | L11 and L8 | 14 | <u>L16</u> |
| <u>L15</u> | L14 and L11 | 1 | <u>L15</u> |
| <u>L14</u> | 5923644.uref. | 7 | <u>L14</u> |
| <u>L13</u> | L1 and L11 | 15 | <u>L13</u> |
| <u>L12</u> | L11 same HOL | 149 | <u>L12</u> |
| <u>L11</u> | (head near1 of near1 line) or (head-of-line) | 419 | <u>L11</u> |
| <u>L10</u> | L8 and L7 | 1 | <u>L10</u> |
| <u>L9</u> | L1 and L8 | 5 | <u>L9</u> |
| <u>L8</u> | logN or (log adj 1 N) | 2255 | <u>L8</u> |
| <u>L7</u> | L1 same L6 | 6 | <u>L7</u> |
| <u>L6</u> | (input or output) near1 (buffer\$6 or queue\$6 or memor\$6) | 106512 | <u>L6</u> |
| <u>L5</u> | L1 same switch\$6 | 12 | <u>L5</u> |
| <u>L4</u> | L1 and L3 | 2 | <u>L4</u> |
| <u>L3</u> | (envelop\$6 near1 schedul\$6) | 17 | <u>L3</u> |
| | | | |

| <u>L2</u> | (weight-based or (weight adj1 based)) adj1 switch\$6 | 1 | <u>L2</u> |
|-----------|---|-----|-----------|
| <u>L1</u> | (schedul\$6 or scheduling) near1 (iteration\$ or iterat\$6) | 199 | <u>L1</u> |

END OF SEARCH HISTORY

Refine Search

Search Results -

| Terms | Documents | | |
|------------|-----------|--|--|
| L11 and L8 | . 14 | | |

| Database: | US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins | ÷ | |
|-----------|--|----------|---------------|
| Search: | | <u> </u> | Refine Search |
| | Recall Text Clear | | Interrupt |

Search History

DATE: Monday, July 18, 2005 Printable Copy Create Case

| <u>Set Nam</u> | <u>e Query</u> | Hit Count | Set Name |
|----------------|---|-----------|------------|
| side by sid | e · | | result set |
| DB=P | GPB,USPT; PLUR=YES; OP=ADJ | • | |
| <u>L16</u> | L11 and L8 | 14 | <u>L16</u> |
| <u>L15</u> | L14 and L11 | 1 | <u>L15</u> |
| <u>L14</u> | 5923644.uref. | 7 | <u>L14</u> |
| <u>L13</u> | L1 and L11 | 15 | <u>L13</u> |
| <u>L12</u> | L11 same HOL | 149 | <u>L12</u> |
| <u>L11</u> | (head near1 of near1 line) or (head-of-line) | 419 | <u>L11</u> |
| <u>L10</u> | L8 and L7 | 1 | <u>L10</u> |
| <u>L9</u> | L1 and L8 | 5 | <u>L9</u> |
| <u>L8</u> | logN or (log adj1 N) | 2255 | <u>L8</u> |
| <u>L7</u> | L1 same L6 | 6 | <u>L7</u> |
| <u>L6</u> | (input or output) near1 (buffer\$6 or queue\$6 or memor\$6) | 106512 | <u>L6</u> |
| <u>L5</u> | L1 same switch\$6 | 12 | <u>L5</u> |
| <u>L4</u> | L1 and L3 | 2 | <u>L4</u> |
| <u>L3</u> | (envelop\$6 near1 schedul\$6) | 17 | <u>L3</u> |
| | • | | |

| <u>L2</u> | (weight-based or (weight adj1 based)) adj1 switch\$6 | 1 | <u>L2</u> |
|-----------|---|-----|-----------|
| <u>L1</u> | (schedul\$6 or scheduling) near1 (iteration\$ or iterat\$6) | 199 | <u>L1</u> |

END OF SEARCH HISTORY

Refine Search

Search Results -

| Terms | Documents | | |
|-----------|-----------|--|--|
| L8 and L7 | 1 | | |

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Recall Text Clear Interrupt

Search History

DATE: Monday, July 18, 2005 Printable Copy Create Case

| | | <u>e Query</u> | Hit Count | |
|-----|------------|---|-----------|------------|
| sid | le by sid | e | | result set |
| | DB=P | GPB,USPT; PLUR=YES; OP=ADJ | | |
| | <u>L10</u> | L8 and L7 | 1 | <u>L10</u> |
| | <u>L9</u> | L1 and L8 | 5 | <u>L9</u> |
| • | <u>L8</u> | logN or (log adj1 N) | 2255 | <u>L8</u> |
| | <u>L7</u> | L1 same L6 | 6 | <u>L7</u> |
| | <u>L6</u> | (input or output) near1 (buffer\$6 or queue\$6 or memor\$6) | 106512 | <u>L6</u> |
| | <u>L5</u> | L1 same switch\$6 | 12 | <u>L5</u> |
| | <u>L4</u> | L1 and L3 | 2 | <u>L4</u> |
| | <u>L3</u> | (envelop\$6 near1 schedul\$6) | 17 | <u>L3</u> |
| | <u>L2</u> | (weight-based or (weight adj1 based)) adj1 switch\$6 | 1 | <u>L2</u> |
| ٠. | <u>L1</u> | (schedul\$6 or scheduling) near1 (iteration\$ or iterat\$6) | 199 | <u>L1</u> |

END OF SEARCH HISTORY